LOTANDADDO LINTENDED I

O Air Resources Board

Durquent to the authority vested in the Air Resources Board by H

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The engine and emission control systems produced by the manufacturer are certified as described below for use in on-road motor vehicles with a manufacturer's GVWR over 14,000 pounds. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL	ENGINE FAM	ILY	ENGINE SIZES (L)	FUEL TYPE 1	STANDARDS & TEST	SERVICE	ECS & SPECIAL FEATURES 3	DIAGNOSTIC 5					
YEAR					PROCEDURE	CLASS	TWC, SFI, 2AFS, HO2S	EMD+					
2015	FRIIE06.8B	FRIIE06.8BW5 6.8		LPG	Otto	HDO	1VC, 3F1, 2AF3, 11023	EIVID+					
	' ENGINE'S IDLE NS CONTROL 4			AD	DITIONAL IDLE EN	ISSIONS CO	NTROL 4						
N/A		N/A											
ENGINE (I	L)			ENGINE MODELS / CODES (rated power, in hp)									
L=liter; hp=	=horsepower; kw=k NG=compressed/liqu	ilowatt; hilefied natu	r=hour; ural gas; LPG=liquefie	ed petroleum gas; <b>E85</b> =85%	ethanol fuel; MF=mul	-1-	R 86.abc=Title 40, Code of Federal Regulation =bi fuel; DF=dual fuel; FF=flexible fuel;	ons, Section 86.abc;					
				oan bus; HDO=heavy duty C									
up catalyst; TBI=throttle super charg control mod	; DPF=diesel particue body fuel injection; ger; CAC=charge aidule; EM=engine monagine shutdown syst	late filter; SFI/MFI: r cooler; odification	PTOX=periodic trap of sequential/multi port of EGR / EGR-C=exhaus (2 (prefix)=parallel; 3 CCR 1956 8(a)(6)(A	oxidizer; HO2S/O2S=heated uel injection; DGI=direct gas it gas recirculation / cooled E (2) (suffix)=in series; (1): 30=30 g/hr NOx (per 1	/oxygen sensor; HAF coline injection; GCAF GR; PAIR/AIR=pulse	S/AFS=heated/ RB=gaseous car d/secondary air	ctive catalytic reduction — urea / — ammonia; air-fuel-ratio sensor (a.ka., universal or linear buretor; IDI/DDI=indirect/direct diesel injectio injection; SPL=smoke puff limiter; ECM/PCI al combustion auxiliary power system; ALT= e (e.g., Otto engines and vehicles);	r oxygen sensor); on; TC/SC=turbo/ M=engine/powertrain					
(per 13 CCR 1956.8(a)(6)(D); Exempt=exempted per 13 CCR 1956.8(a)(6)(B) or for CNG/LNG fuel systems; N/A=not applicable (e.g., Otto engines and vehicles);													

Following are: 1) the FTP exhaust emission standards, or family emission limit(s) as applicable, under 13 CCR 1956.8; 2) the SET and NTE limits under the applicable California exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and 3) the corresponding certification levels, for this engine family. "Diosel" CO. SET and NTE certification compliance may have been demonstrated by the manufacturer as provided

"Diesel" CO, SET and NTE certification compliance may have been demonstrated by the manufacturer as provided under the applicable Test Procedures in lieu of testing. (For flexible- and dual-fueled engines, the CERT values in brackets [] are those when tested on conventional test fuel. For multi-fueled engines, the STD and CERT values for default operation permitted in 13 CCR 1956.8 are in

parentheses.). 4

in	NMHC		NOx		NMHC+NOx		со		PM		нсно	
g/bhp-hr	FTP	SET	FTP	SET	FTP	SET	FTP	SET	FTP	SET	FTP	SET
STD	0.14	*	0.20	*	*	*	14.4	*	0.01	*	0.01	*.
CERT	0.07	*	0.08	*	*	*	2.2	*	0.000	*	0.000	*
NTE	*			*	*		*		*		*	

4 g/bhp-hr=grams per brake horsepower-hour, FTP=Federal Test Procedure; SET= supplemental emissions testing; NTE=Not-to-Exceed emission limit; STD=standard or emission test cap; FEL=family emission limit; CERT=certification level; NMHC/HC=non-methane/hydrocarbon; NOx=oxides of nitrogen; CO=carbon monoxide; PM=particulate matter; HCHO=formaldehyde;)

BE IT FURTHER RESOLVED: For the listed engine models the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels), 13 CCR 2035 et seq. (emission control warranty) and 13 CCR 1971.1 (on-board diagnostic).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this \_\_\_\_\_

day of May 2014.

Annette Hebert. Chief

Emissions Compliance, Automotive Regulations and Science Division

## **⊘** Air Resources Board

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following on-road motor vehicles with a manufacturer's GVWR over 14000 pounds are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

						ENG	INE DESC	RIPTION	l				
MANUFACTURE			MOI		INE FAMILY	ENGINE SIZES (L)	FUEL TY PE 1		STANDARDS & TEST PROCEDURE	INTENDED SERVICE CLASS <sup>2</sup>	ECS & SPECIAL FEATURES 3	OBD COMPLIANCE <sup>4</sup>	
ROUSH INDUSTRIES INC.		44-0052	20	15 FRI	IE06.8BW5	6.8	LPG		Otto	HDO	TWC, SFI, 2AFS, HO2S	EMD+	
Gasoline, LPG	or Alcoh Only	nol Vehicle	s					VE	HICLE DESCR	IPTION ·			
EVAPORATIVE FUEL TANK				VEHICLE	VEHICLE MAKE & MODELS			ENGIN	E	ENGINE MODELS / CODES			
FAMILY	UL (K) CAPACITY MODEL VEHICLE M		WARE & WODELS		(L)		(rated power, in hp)						
FRIIF0265LPG	150	67.5, 10	00	2015	BlueBird \	ision Sch	ool Bus	6.8	BlueBi	BlueBird Vision School Bus / FFF618BR5, FFF61HBR56 (362 for all codes)			

\* =not applicable; GVWR=gross vehicle weight rating; 13 CCR xyz=Title 13, California Code of Regulations, Section xyz; 40 CFR 86.abc=Title 40, Code of Federal Regulations, Section 86.abc; L=liter; K=1000 miles; hp=horsepower; kw=kilowatt;

86.abc; L=liter; K=1000 miles; hp=horsepower; kw=kilowatt;

CNG/LNG=compressed/liquefied natural gas; LPG=liquefied petroleum gas; E85=85% ethanol fuel; MF=multi fuel a.k.a. BF=bi fuel; DF=dual fuel; FF=flexible fuel;

L/M/H HDD=light/medium/heavy heavy-duty diesel; UB=urban bus; HDO=heavy duty Otto;

ECS=emission control system; TWC/OC=three-way/oxidizing catalyst; WU (prefix) =warm-up catalyst; DPF=diesel particulate filter; HO2S/O2S=heated/oxygen sensor;

HAFS/AFS=heated/air-fuel-ratio sensor (a.k.a., universal or linear oxygen sensor); TBI=throttle body fuel injection; SFI/MF1sequential/multi port fuel injection; DGI=direct gasoline injection;

GCARB=gaseous carburetor; IDI/DDI=indirect/direct diesel injection; TC/SC=turbo/super charger; CAC=charge air cooler; EGR=exhaust gas recirculation; PAIR/AIR=pulsed/secondary air injection; SPL=smoke puff limiter; ECM/PCM=engine/powertrain control module; EM=engine modification; 2 (prefix)=parallel; (2) (suffix)=in series;

EMD=engine manufacturer diagnostic system; OBD(F) / (P) / (\$)=full / partial / partial with fine / on-board diagnostic;

(2012-08-20)

Following are: 1) the FTP exhaust emission standards or family emission limit(s) as applicable under 13 CCR 1956.1 (urban bus) or 13 CCR 1956.8 (other than urban bus); 2) the SET and NTE limits under the applicable California exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and 3) the corresponding certification levels, in g/bhp-hr, for this engine family. "Diesel" CO, SET and NTE certification compliance may have been demonstrated by the manufacturer as provided under the applicable Test Procedures in lieu of testing. (For flexible- and dual-fueled engines, the CERT values in brackets [] are those when tested on conventional test fuel. For multi-fueled engines, the STD and CERT values for default operation permitted in 13 CCR 1956.1 or 13 CCR 1956.8 are in parentheses.)

	NMHC		NOx		NMHC+NOx		С	CO		PM		нсно	
	FTP	SET	FTP.	SET	FTP	SET	FTP	SET	FTP	SET	FTP	SET	
STD	0.14	. *	0.20	* .		*	14.4	. *	0.01	*	0.01	*	
CERT	0.07	* *	0.08	*	*	*	2.2	*	0.000	*	0.000	*	
NTE	*			*		*		*				•	

g/bhp-hr=grams per brake horsepower-hour; FTP=Federal Test Procedure; EURO=Euro III European Steady-State Cycle; NTE=Not-to-Exceed emission limit; STD=standard or emission test cap; FEL=family emission limit; CERT=certification level; NMHC/HC=non-methane/hydrocarbon; NOx=oxides of nitrogen; CO=carbon monoxide; PM=particulate matter; HCHO=formaldehyde

BE IT FURTHER RESOLVED: For the listed vehicle models the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels), 13 CCR 1971.1 (on-board diagnostic), 13 CCR 1976(b)(1)(F) {evaporative emission standards}, 13 CCR 2035 et seq. (emission control warranty), and 13 CCR 2235 [fill pipes and openings of motor vehicle fuel tanks]. (The braces { } are for gasoline, LPG or alcohol fueled vehicles only. The brackets [] are for gasoline or alcohol fueled vehicles only.)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

day of May 2014.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division